

Concrete Finishing Tools

Roseburrrough



Concrete Tamper
Splash Away Concrete Tamper

No. Size
T34
7-1/2" x 34"

T46
7-1/2" x 46"

T58
7-1/2" x 58"

Fiberglass and Aluminum Handles



Fiberglass FH6 1 1/2" x 6'

Chute Scoop

CC10754 10" x 7"



Starter Connectors For 1 3/8"



SC8



ST8



SB8



SBM8

Double Roller Tamp

RRT362 - 36"



Mahogany Wood Bull Floats

WB24 6" x 24"

WB36 8" x 36"

WB48 8" x 48"



Laminated Poplar Wood Bull Float

LWBF482 7 1/4" x 4' Float



Rock Salt Roller

No. SR430
30"



Laminated Resin Glass Bull Float

LB7362 7" x 36"

LB7482 7" x 48"

LB7602 7" x 60"



Magnesium Bull Float with 4 Hole Adaptor

RM244 8" x 24"

RM364 8" x 36"

RM484 8" x 48"



Dirt Tamper

No.110
10" x 10" with 48" handle

Magnesium Bull Float Round with 4 Hole Adaptor

RM364RE 8" x 36"

RM484RE 8" x 48"



Roseburrough

Big "O" Blue Steel Trowel

RT1248 12" x 48"



No. RO5L

Lead weight with grooves for channel brace.

Blue Fresnos Round (with Swivels)



RF18B 5" x 18"



RF24B 5" x 24"



RF36B 5" x 36"



RF48B 5" x 48"

Blue Funny Fresnos



Funny Fresno


FFS524 5" x 24"

Concrete Finishing Tools

Plastic Gunite Shoes



Flat Wire Texture Broom



36TC750	Tine Wire Broom 3/4" O.C.	36"
48TC750	Tine Wire Broom 3/4" O.C.	48"
60TC750	Tine Wire Broom 3/4" O.C.	60"

Stainless Steel Kneeboards



RSK288 28" x 8"

Stainless Steel Kneeboards w/ Rubber Pads

RSK288P
28" x 8 1/2"




Concrete Finishing Tools

Mahogany Wood Hand Floats

Mahogany Wood Concrete Hand Floats

Made from the finest selected mahogany wood. A full 1/2" thick and comes with a comfortable quality wood handle.

No.	Size	Thickness
WF12	12" x 3-1/2"	1/2"
WF14	14" x 3-1/2"	1/2"
WF16	16" x 3-1/2"	1/2"
WF18	18" x 3-1/2"	1/2"




Teak Wood Hand Floats

Teak Wood Hand Floats

Lightweight long lasting 5/8" thick. This wood is a hard wood with an oily texture.

No.	Size	Thickness
TF18	18" x 3-1/2"	3/4"



Laminated Resin Glass Float

Wears like magnesium has extremely long life, broken-in design and gives an excellent float finish. With a quality heavy duty wood handle.

No.	Size
GF16	16" x 3 1/2"
GF18	18" x 3 1/2"



Laminated Resin Glass Float Rounded Front End



Laminated Resin Glass Float Rounded Both Ends

No.	Size
GF18FR	18" x 3 1/2"



Mahogany Wood Concrete Darby



MD281 28"
Mahogany Darby
with a 1 loop
handle

MD362 36"
Mahogany Darby
with a 2 loop
handle

MD453 45"
Mahogany Darby
with a 3 loop
handle

Roseburrough

Beveled End Magnesium Darbys

RHM302	30"	2 Loop handle
RHM362	36"	2 Loop handle



Tapered Magnesium Hand Float - Darby

RMT36	36"	3 3/8" to 1 3/4"
-------	-----	------------------



The Float Hook

Manufactured in the USA

No. FH

Replacement Wood Float Handles

High lift float handle.

No. RO8HD 9 1/2"



Midget Trowels

MT35B	3" x 5"
MT36B	3" x 6"



Blue Pool Trowels with Wood Handle

BP12	3 1/2" x 12"
BP14	4" x 14"

Floor Scrapers

FS514	5" x 14"
FS518	5" x 18"
FS522	5" x 22"



Floor Scraper Replacement Blades

FS514B	5" x 14"
FS518B	5" x 18"
FS522B	5" x 22"



Roseburrough

Concrete Finishing Tools

Concrete Spreader

CK420R
 4" x 20" Complete Spreader



Curved Concrete Comealong

CKC420 4" x 20"



Airplane Flying Groover

No. AGP824
 Airplane Groover with Rounded ends and standard plate adaptor 8" x 24" with 1-1/4" Deep Groove



Special Ultra Hard Groover

Cast in special ultra hard iron alloy. Tighten nut to work at any angle. Tool is 4" x 3 1/2", makes a groove 1/4" wide, 3/8" deep, with a quality wood handle. Note: Use No. SC8 Attachment for walking type.

No. RO6204L



Creating Straight Control Joints In Freshly Placed Concrete

California Groovers
 36", 42", 48"

No. AG36134 36" 1 3/4" Groove Depth
 No. AG42134 42" 1 3/4" Groove Depth
 No. AG48134 48" 1 3/4" Groove Depth



No. AG12134 12" 1-3/4" Groove Depth
 Hand Finish Tool



No. AGS361F 36" 1 3/8" Groove Depth
 No. AGS421F 42" 1 3/8" Groove Depth
 No. AGS481F 48" 1 3/8" Groove Depth
 No. AGS36134F 36" 1 3/4" Groove Depth
 No. AGS42134F 42" 1 3/4" Groove Depth
 No. AGS48134F 48" 1 3/4" Groove Depth

Walking Edger V Groover Attachment

V - Groover for 5" walking edger, fresco.


V514 5"

V - Groover for 6" walking edger.

V614 6"



Blue Crucible Hand Edgers



No.	Size	Radius
HE631	6" x 3"	1/4"
HE632	6" x 3"	3/8"
HE633	6" x 3"	1/2"
HE640	6" x 4"	1/8"
HE641	6" x 4"	1/4"
HE642	6" x 4"	3/8"
HE643	6" x 4"	1/2"
HE645	6" x 4"	3/4"
HE646	6" x 4"	1"
HE660	6" x 6"	1/8"
HE661	6" x 6"	1/4"
HE662	6" x 6"	3/8"
HE665	6" x 6"	3/4"

Blue Crucible Steel Walking Edgers:

No.	Size	Radius
WE940	9" x 4"	1/8"
WE941	9" x 4"	1/4"
WE942	9" x 4"	3/8"
WE943	9" x 4"	1/2"
WE945	9" x 4"	3/4"
WE946	9" x 4"	1"
WE960	9" x 6"	1/8"
WE961	9" x 6"	1/4"
WE962	9" x 6"	3/8"
WE963	9" x 6"	1/2"
WE965	9" x 6"	3/4"
WE966	9" x 6"	1"
WE980	9" x 8-1/2"	1/4"
WE982	9" x 8-1/2"	3/8"
WE983	9" x 8-1/2"	1/2"

Stainless Steel Edger-Groovers



No.	Size	Radius	Groove
EG6H	6"	1/2"r	
EG8H	8"	1/2"r	
EG12H	12"	1/2"r	



No.	Size	Radius	Groove
EG6W	6"	1/2"r	1/4"
EG8W	8"	1/2"r	1/4"
EG12W	12"	1/2"r	1/4"

Man Hole Lifter



Wire Mesh Lifter



Line Marker

No. LM500




Handles

WE5 5'



Concrete Finishing Tools

Blue Crucible Steel Step Tools




Blue Crucible Step Tools: Hand Type

OUTSIDE NOSE STEP TOOL 90°

No.	L. x W.	Drop	Radius
SN6512	6" x 5"	3-1/2"	1/2"
SN6534	6" x 5"	3-1/2"	3/4"
SN6501	6" x 5"	3-1/2"	1"

INSIDE COVE STEP TOOL 90°

No.	L. x W. x H.	Radius
SC6512	6" x 5" x 6"	1/2"
SC6534	6" x 5" x 6"	3/4"
SC6501	6" x 5" x 6"	1"



OUTSIDE NOSE STEP TOOL 90°

No.	L. x W.	Drop	Radius
SN6512W	6" x 5"	3-1/2"	1/2"
SN6534W	6" x 5"	3-1/2"	3/4"
SN6501W	6" x 5"	3-1/2"	1"


INSIDE COVE STEP TOOL 90°

No.	L. x W. x H.	Radius
SC6512W	6" x 5" x 6"	1/2"
SC6534W	6" x 5" x 6"	3/4"
SC6501W	6" x 5" x 6"	1"

Chamfer Edgers

Hand Edger

HC665
6" x 6" 3/4"
z




Walking Tool

WC965
9" x 6" 3/4"




Plastic Step Tools



OUTSIDE SHORT NOSE TOOL

No.	Size	Radius
PST120	6" x 5" 2 -1/2"	1/2"
PST340	6" x 5" 2 -1/2"	3/4"



INSIDE COVE TOOL

No.	Size	Radius
PST121	6" x 5" x 5"	1/2"
PST341	6" x 5" x 5"	3/4"

Hand Ramp Multiple Groover with Edger



WR613BHR 3/4" O.C.

Walking Ramp Multiple Groover with Edger



WR613BWR 3/4" O.C.

Safety Wheel Chair Ramp Tools



3/4" O.C. 16 GROOVE BORDER TOOL

WR613BH Hand border tool 3/4" O.C.

Magnesium Asphalt Lute with Braces

LBO36
Braces for 36" Lute



Roseburrrough

Poured In Place Cantilever Form Tools

No. SAN6
Sandstone Form Tool



Touch up Tool



Intermediate Step 2 1/4"
1 1/4" deep



Release Applicator – Concrete Coloring


Release Applicator



No. SSP18
Includes handle connector.

KRAFT TOOL CO.

Concrete Finishing Tools



Decorative Concrete Border Tools


(Edger Groover Combination)

Single edger with double groover
 9" spacing w/3" shiner 1/2" R, 5/8" bits

Double edger with groover
 9" spacing 1/2" R, 5/8" bit

Double edger 9" x 6" 1/2" R

Single edger with groover
 9" spacing w/3" shiner 1/2" R, 5/8" bit



Bronze Chamfer Tube Edger

These specially


designed Chamfer Tube Edgers are used for creating chamfered edges on round support piers. The degree of slope on the pier edge can be varied depending upon wetness of the concrete and angle and pressure of the Chamfer Tube Edger.

Made of long wearing one-piece bronze with 1" lip and turned up ends. Belt polished surface for clean smooth edges.

Dia Size: 12", 16", 18", 24", 30", 36", 48"


KRAFT BRONZE GROOVERS

All Kraft Bronze Groovers are meticulously crafted with belt polished surfaces that make it easy to cut sharp, clean grooves. These are long wearing and assure easy clean up.



DEEP BIT

CF-314 6"x4-1/2"




NARROW BIT

CF-305 6"x4-1/2"




BIG BIT

CF-304 6"x4-1/2"




LARGE BIT

CF-303 6"x4-1/2"




EXTRA DEEP BIT

CF-317 7-1/2"x4-1/2"



COLORADO GROOVER

CF-380 6-1/2"x3"



BRONZE BULL FLOAT GROOVER ATTACHMENT

Attaches with two thumbscrews. Use bull float as groover. Also mount one or more. Works on magnesium bull float.

- | No. | Size |
|--------|--|
| CC-940 | 3/4" bit
1/4" radius, 1/2" wide top |
| CC-941 | 1" bit
1/4" radius, 1/2" wide top |
| CC-942 | 1-1/2" bit
1/4" radius, 1/2" wide top |
| CC-943 | 2" bit
1/4" radius, 5/8" wide top |



Concrete Finishing Tools

KRAFT TOOL CO.

Deluxe Toothed Bush Hammer

8 1/2" longhead with 1" square face. Teeth are precision cut to a sharp point for superior cutting action and wear. Comes with smooth wood handle.




Poly-Lined Grout Bag

Poly-lined grout bag has a soft 3/8" tip molded in. Size of tip can be increased by cutting small amount off with scissors. Ideal for use in grouting masonry or tile joints.




Heavy-Duty Pry Bar

Ideal all purpose tool for prying forms and other construction jobs. Specially designed blade angle and hardened steel claw make for easy prying. 56" Steel handle with 3" wide blade. Weight 14 lbs.




Rebar Bender

Strong, light, easy to use. Completely portable. Can be used anywhere on the job. 36" length provides enough leverage to bend 3/8" reinforcing bar.



Floor Scraper

Ideal for after work clean up. Scraper blades are firm but flexible. Comes with heavy-duty 5' shovel type wood handle. 14", 18" & 22" blades. Replacement blades available.



Concrete Name Stamp

The perfect way to mark concrete for permanent identification. Made from high grade bronze. Stamp is 5" x 9" oval with flat ends. 16 spaces on three lines. Replacement year stamp is 5/8" high. Stamp can be furnished without date on request.

EZ-Kneeler™ Kneebord

Provides the knees comfortable support and protection. Washable & chemical resistant - weighs only 2 lbs. A thermoplastic 2" thick rubber cushion securely fastened to 14" x 24" poly-propylene tray for maximum comfort and long life.



Aluminum Chisels

Use these aluminum chisel to dress and finish imprinted textured concrete.

Sizes:
1 1/2", 3", 4", 8", 12", 18"





Concrete Finishing Tools

“YOUR STRAIGHTEDGE PEOPLE”


AN ALUMINUM 2 x 4 STRAIGHTEDGE THAT IS ACTUALLY 1½" x 3½"

Available in 4' to 20' lengths with beveled edges and welded end caps. Straightedges are lightweight, durable, corrosion resistant, easily cleaned and hold a true edge indefinitely. Duplicating the exact size and “feel” of a wooden 2 x 4 makes this the perfect tool for straightedging concrete without the problems of warping and waste using wood straightedges or the bulkiness and weight of standard stock aluminum. This is truly the cement mason’s choice. Special order sizes available.



Also available:

Straightedge 1" x 3" - 10' or 12'
2" x 5" - 10' or 24'



From 4' to 20'

- Extruded to ± 1/16" tolerance in 10' for straightness
- Aluminum alloy is heat-treated 60/61 T6
- Wall thickness of 2 x 4 is 1/8"
- Tensile strength 30- 35,000 lbs. per square inch
- Conforms to federal specifications QQ/A/250/11 and ASTM B209





Concrete Finishing Tools

POINTING TROWELS

- Forged from a single piece of highest grade tool steel for unsurpassed strength
- Hardwood handle with polished steel ferrule
- Versatile tool
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
11124	45 5	03596501124	5 x 2½	6	72
11128	45 6	03596501128	6 x 2½	6	72
11130	45 7	03596501130	7 x 3	6	72

MARGIN TROWEL WITH WOOD HANDLE

- Forged from a single piece of highest grade tool steel for unsurpassed strength
- Tempered, ground, and polished from toe to heel
- Hardwood handle with metal ferrule
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
11202	52	35965012027	5 x 2	6	72
11204	54	35965012041	5 X 1½	6	72
11206	56	35965012065	6 X 2	6	72

FINISHING TROWEL WITH CURVED WOOD HANDLE

- Highest grade high carbon spring steel blade
- Aluminum alloy mounting is fully heat treated for strength. Polished, and machine finished to ensure a perfect handle-to-post fit
- Exclusive "Diamond Shank" fits perfectly into a square hole of the hardwood handle
- 30% more torque is required to turn this handle than that of our nearest competitor
- Hardened steel rivets are used to attach the blade to the mounting
- Curved handle
- Large toe rivet is 40% larger than other manufacturers use and gives up to 88% more holding power at this critical point
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
13204	MXS56	35965032049	12 X 3	1	12
13208	MXS62	35965032087	12 X 4	1	12
13224	MXS57	35965032247	14 X 3	1	12
13228	MXS64	35965032285	14 X 4	1	12
13244	MXS60	35965032445	16 X 3	1	12
13248	MXS66	35965032483	16 X 4	1	12
13268	MXS81	35965032681	18 X 4	1	6
13278	MXS815	35965032780	18 X 5	1	6
13272	MXS20	35965032728	20 X 4	1	6
13276	MXS205	35965032766	20 X 5	1	6

FINISHING TROWEL-ROUND END WITH CURVED WOOD HANDLE

- Made from the highest grade stainless steel properly shaped and tempered
- Aluminum alloy mounting is lightweight but very strong
- Fully rounded front end for working around curvatures
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
13512	MXS81RE	35965035125	18 X 4	1	6
13514	MXS20RE	35965035149	20 X 4	1	6
13516	MXS205RE	35965035163	20 x 5	1	6

FINISHING TROWEL-ROUND END WITH CURVED HANDLE


- DuraSoft® Handle
- Made from the highest grade spring steel, properly shaped and tempered
- Long aluminum alloy mounting is lightweight but very strong
- Fully rounded ends prevent the blade from digging into the concrete
- Curved wood handle securely attached
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
13520	MXS64FR	35965035200	14 X 4	1	12
13522	MXS66FR	35965035224	16 x 4	1	12
13524	MXS81FR	35965035248	18 x 4	1	6
13526	MXS20FR	35965035262	20 x 4	1	6
13528	MXS205FR	35965035286	20 x 5	1	6

MIDGET TROWEL WITH CURVED WOOD HANDLE

- High carbon steel blade secured to aluminum alloy mounting with hardened steel rivets
- Curved handle
- For finishing concrete in small areas
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
13105	11	35965031059	8 X 3	6	36

MAGNESIUM FLOAT WITH WOOD HANDLE


- Extruded from very hard, durable, lightweight magnesium—our most popular float design
- Comfortable handle is positioned to give the tool perfect balance
- Handle is secured with torque pad screws that will not back out
- If a float (rough) finish is desired, floating is the final operation
- Recommended for use with air entrained concrete
- Magnesium floats produce a smoother finish than wood
- "SH" indicates structural foam handle, while "D" indicates DuraSoft® handle, provides a soft feel, reduces fatigue, and offers excellent durability
- U.S. Patent Nos. 5,781,956 for DuraSoft® Handle
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
14604	145	35965046046	16 X 3½	2	24
14602	146	35965046022	20 X 3½	2	12

MAGNESIUM BULL FLOAT

- Made from finest extruded magnesium available
- Lightweight, long wearing, and properly balanced to provide the finish you want
- Comes complete with bracket assembly
- Square ends
- No other heavy duty float outlasts this one
- Using several handle sections, the finisher can float a slab well beyond normal reach
- Made in the U.S.A.



EDI	Part #	UPC #	Size	Box	Case
14704	B48	35965047043	48 X 8	1	1